

Table

SLIDES

& Accessories



- high quality furniture fittings





- high quality furniture fittings



- high quality furniture fittings

SISO A/S
MILEPARKEN 11
DK - 2740 SKOVLUNDE
(COPENHAGEN)
DENMARK
PHONE: (+45) 45 830 900
FAX: (+45) 45 830 444
E-MAIL: SISO@SISO.DK
WWW.SISO.DK



All specifications stated in the catalogue are errors and omissions excepted

SISO A/S tager forbehold for trykfejl samt ændringer i produktets specifikationer.

Für Druckfehler und Irrtümer ist jede Haftung ausgeschlossen. Produktänderungen behalten wir uns vor.

DISTRIBUTOR



<p>SPLIT FRAME where the frame & legs move</p>	<p>5</p>	
<p>TOP SLIDE 9097 where the table top moves</p>	<p>6</p>	
<p>SYNCHRONIC SLIDE where the table top moves synchronously</p>	<p>7-9</p>	
<p>SPLIT FRAME »X-TRA LONG« for extra long table inserts</p>	<p>10</p>	
<p>WOOD SLIDE »SPLIT« with worm gear for easy opening</p>	<p>11</p>	
<p>»9096« FOR FOLDED TABLE TOPS where the table plates are folded as a book</p>	<p>12</p>	
<p>LEG CORNER BRACKETS</p>	<p>13-14</p>	
<p>KEA SCREW-IN BUSHING</p>	<p>15-18</p>	
<p>HINGES</p>	<p>19-22</p>	
<p>HINGES & CATCHES</p>	<p>23</p>	
<p>TABLE CONNECTORS & SPANNERS</p>	<p>24</p>	
<p>LOCATING PINS</p>	<p>25</p>	
<p>CLICK CATCH</p>	<p>26-31</p>	
<p>SURF - THE TABLE CONNECTOR</p>	<p>33</p>	
<p>CATCH # 22</p>	<p>35</p>	

LAZY SUSAN

36



TWISTER - THE LEG CONNECTOR

37-38



SNAP FOLDING LEGS

39



TABLE METAL LEGS W/HEIGHT ADJUSTER

40



HIDE AWAY MECHANISM

41



TABLE CLIPS & NUTS

42



LOCKING PIN & HOOKS

43



HANGERBOLTS & TOOL FOR INSERTING

44



NAIL-ON GLIDES

45-46



ADJUSTABLE GLIDES

47-48




ADJUSTABLE GLIDES & BUSHINGS

49




SPLIT FRAME

- high quality furniture fittings





- How the opening is measured:
- 1: Close the slide completely
 - 2: Measure the total length when closed
 - 3: Divide the total length (C) by 2 and make a pencil mark on the wings of the slide (W) in closed position
 - 4: Open the slide completely and measure the distance between the pencil marks made and you have the opening (O)




* Illustration only for measurement use

	Model Split Steel - Zinc Plated				
Opening (O)	530	640	850	950	1050
Closed Length (C)	400	450	560	660	740
Total Length (T)	850	1090	1420	1620	1860
Wing Size (W)	350	370	550	550	650
Slide Width (A)	70	70	72	72	72
Slide Height (B)	40	40	47	47	47
Wing Width (X)	22	22	22	22	22
Load Capacity	60 kg.	60 kg.	90 kg.	90 kg.	90 kg.
Item No.:	24.01.005	24.01.013	24.01.019	24.01.029	24.01.042

Other sizes on request



In mm	Model Top Slide 9097 Steel - Zinc Plated					
Opening (O)	430	480	530	640	1020	1060
Closed Length (C)	600	650	700	800	1300	900
Total Length (T)	880	990	1050	1250	1860	1735
Wing Size (W)	220	246	246	280	420	315
Slide Width (A)	32	32	32	32	32	32
Slide Height (B)	38	38	38	38	38	40
Wing Width (X)	21	21	21	21	21	21
Load Capacity	45 kg.	45 kg.	45 kg.	45 kg.	45 kg.	45 kg.
Item No.:	24.05.013	24.05.024	24.05.037	24.05.051	24.05.085	24.05.100






** Illustration only for measurement use*

Other sizes on request

SYNCHRONIC SLIDE »BUDGET«

- high quality furniture fittings





** Illustration only for measurement use*


Other sizes on request

In mm	Model Synchronic »Budget« Steel - Zinc Plated					
Opening (O)	420	470	518	570	631	1020
Closed Length (C)	627	675	725	777	838	1227
Total Length (T)	1003	1051	1101	1153	1214	1859
Wing Size (W)	276	276	276	276	276	404
Slide Width (A)	34	34	34	34	34	34
Slide Height (B)	43	43	43	43	43	43
Wing Width (X)	21	21	21	21	21	21
Load Capacity	45 kg.	45 kg.	45 kg.	45 kg.	45 kg.	45 kg.
Item No.:	24.03.530	24.03.543	24.03.547	24.03.548	24.03.551	24.03.560

SYNCHRONIC SLIDE »STANDARD«



In mm	Model Synchronic »Standard« Steel - Zinc Plated					
Opening (O)	420	470	520	570	620	1020
Closed Length (C)	610	650	700	750	800	1250
Total Length (T)	950	990	1040	1090	1220	1830
Wing Size (W)	240	240	240	240	280	370
Slide Width (A)	35	35	35	35	35	36
Slide Height (B)	40	40	40	40	40	50
Wing Width (X)	22	22	22	22	22	22
Load Capacity	60 kg.	60 kg.	60 kg.	60 kg.	60 kg.	90 kg.
Item No.:	24.03.531	24.03.544	24.03.546	24.03.549	24.03.552	24.03.561




* Illustration only for measurement use


Other sizes on request

SYNCHRONIC SLIDE WITH BRAKE

- high quality furniture fittings







In mm	Model Synchronic "Brake" Steel - Zinc Plated				
Opening (O)	407	507	607	907	1007
Closed Length (C)	610	700	800	1250	1250
Total Length (T)	900	1040	1220	1660	1830
Wing Size (W)	240	240	305	370	370
Slide Width (A)	33	33	33	39	39
Slide Height (B)	40	40	40	49	49
Wing Width (X)	20	20	20	22	22
Load Capacity	60 kg.	60 kg.	60 kg.	90 kg.	90 kg.
Item No.:	24.03.572	24.03.580	24.03.586	24.03.590	24.03.595



* Illustration only
for measurement use

Other sizes on request

SPLIT FRAME »X-TRA LONG«



In mm	Model Split »X-tra Long« Steel - Zinc Plated
Opening (O)	2060
Closed Length (C)	805
Total Length (T)	2635
Wing Size (W)	650
Slide Width (A)	150
Slide Height (B)	40
Wing Width (X)	36
Load Capacity	70 kg.
Item No.:	24.02.215

Supporting Leg Steel Yellow Zinc Plated	In mm
Width (W)	600
Height (H)	665
Total Hight (T)	680
Item No.:	24.02.216


How the opening is measured:

1: Close the slide completely

2: Measure the total length when closed

3: Divide the total length (C) by 2 and make a pencil mark on the wings of the slide (W) in closed position

4: Open the slide completely and measure the distance between the pencil marks made and you have the opening (O)




* Illustration only
for measurement use

Other sizes on request

WOOD SLIDE »SPLIT«


- high quality furniture fittings



How the opening is measured:



- 1: Close the slide completely
- 2: Measure the total length when closed
- 3: Divide the total length (C) by 2 and make a pencil mark on the wings of the slide (W) in closed position
- 4: Open the slide completely and measure the distance between the pencil marks made and you have the opening (O)

In mm	Wood Slide »Split« Durian Wood Hard Plastic Worm Gear		
Opening (O)	650	960	1035
Closed Length (C)	685	1060	1060
Total Length (T)	1340	2015	2082
Wing size (W)	683	1055	1055
Slide Width (A)	90	90	90
Slide Height (B)	60	60	60
Wing Width (X)	28	28	28
Item No.:	24.02.549	24.02.551	24.02.552




* Illustration only
for measurement use

»9096« FOR FOLDED TABLE TOPS



In mm	»9096« For Folded Table Tops			
Opening (O)	375	425	425	475
Total Length (T)	600	650	750	700
Wing Size (W)	220	220	320	220
Slide Width (A)	41	41	41	41
Slide Height (B)	40	40	40	40
Wing Width (X)	21	21	21	21
Load Capacity	60 kg.	60 kg.	60 kg.	60 kg.
Item No.:	24.04.010	24.04.020	24.04.030	24.04.040



* Illustration only for measurement use

Other sizes on request


LEG CORNER BRACKETS

- high quality furniture fittings




MODEL 21

Height: 60mm	1 Hole f/M8 or M10 Bolt
Steel thickness 1,5mm:	
Steel, Yellow Zinc, 8 micron	# 11.07.035
Steel, Bright Zinc	# 11.07.030
Stainless Steel	# 11.07.110
Steel thickness 2,0mm:	
Steel, Yellow Zinc, 8 micron	# 11.07.037
Steel, Bright Zinc	# 11.07.038
Stainless Steel	# on request




MODEL 22

Height: 60mm	1 or 3 Holes f/M8 or M10 Bolt
1 Hole:	
Steel thickness 2,0mm:	
Steel, Yellow Zinc, 8 micron	# 11.07.042
Steel, Bright Zinc	# 11.07.040
Stainless Steel	# on request
3 Holes:	
Steel thickness 2,0mm:	
Steel, Yellow Zinc, 8 micron	# 11.07.043
Steel, Bright Zinc	# 11.07.041
Stainless Steel	# on request




MODEL 23

Height: 40mm	1 Hole f/M8 or M10 Bolt
Steel thickness 1,5mm:	
Steel, Yellow Zinc, 8 micron	# 11.07.051
Steel, Bright Zinc	# 11.07.050
Stainless Steel	# on request
Steel thickness 2,0mm:	
Steel, Yellow Zinc, 8 micron	# 11.07.056
Steel, Bright Zinc	# 11.07.055
Stainless Steel	# on request



MODEL 26

Height: 50mm	1 Hole f/M8 or M10 Bolt
Steel thickness 1,5mm:	
Steel, Yellow Zinc, 8 micron	# 11.07.061
Steel, Bright Zinc	# 11.07.060
Stainless Steel	# on request
Steel thickness 2,0mm:	
Steel, Yellow Zinc, 8 micron	# 11.07.066
Steel, Bright Zinc	# 11.07.065
Stainless Steel	# on request




LEG CORNER BRACKETS

MODEL 27

Height: 32mm 1 Hole f/M8 or M10 Bolt


Steel thickness 2,0mm:
 Steel, Yellow Zinc, 8 micron # 11.07.071
 Steel, Bright Zinc # 11.07.070
 Stainless Steel # on request



MODEL 28

Height: 85mm 2 Holes f/M8 or M10 Bolt


Steel thickness 2,0mm:
 Steel, Yellow Zinc, 8 micron # 11.07.075
 Steel, Bright Zinc # 11.07.076



MODEL 29

Height: 70mm 2 Holes f/M8 or M10 Bolt


Steel thickness 1,5mm:
 Steel, Yellow Zinc, 8 micron # 11.07.080
 Steel, Bright Zinc # 11.07.081



MODEL 30


Height: 85mm 2 Holes f/M8 or M10 Bolt

Steel thickness 1,5mm:
 Steel, Yellow Zinc, 8 micron # 11.07.090
 Steel, Bright Zinc # 11.07.091



LEG BRACKET - 10 DEGREE ANGLE

Material: Steel, Yellow Zinc Plated
 Size: 68 x 58 x 1,8 mm
 Hole: M8
 Item No.: # 06.11.150






KEA SCREW-IN BUSHING

w/ SPRING-LOADED INTERNAL THREAD



Material:	Zamak, Plain	
Bore:	Ø22 mm x 15 mm	
Threaded hole:	M8 & M10	
Item No.:	M8	# 11.07.010
	M10	# 11.07.011
Tool for inserting KEA bushings::		
Item No.:	# 11.07.025	




KEA bushing for tables.

The perfect solution for coffee and dining tables.

The KEA solution gives you the possibility to tighten and adjust your table leg in any position due to its **patented** internal spring-loaded system.

With a traditional bushing you normally reach a point where you cannot turn in the hangerbolt any further. If you then have a square table leg that has to be flush with the edge of the table you have a problem. Only by heavy force you can try to turn your table leg further and risk that the wood cracks.



This will not happen with the KEA bushing due to its **patented** internal spring-loaded system.







**KEA SCREW-IN BUSHING,
TRIANGULAR PLATE
w/ SPRING-LOADED INTERNAL THREAD**

Material:	Zamak, Plain	
Size:	123,5 x 33 x 65 mm	
Threaded hole:	M8 & M10	
Item No.:	M8	# 11.07.015
	M10	# 11.07.016





The triangular KEA has been tested by SP Swedish National Testing and Research Institute and has proven strong even for bed frame use.





**KEA SCREW-IN BUSHING,
SQUARE PLATE
w/ SPRING-LOADED INTERNAL THREAD**

Material:	Zamak, Plain	
Size:	47,5 mm x 47,5 mm	
Threaded hole:	M8 & M10	
Holes:	c/c 32 mm	
Item No.:	M8	# 11.07.001
	M10	# 11.07.002








KEA SCREW-IN BUSHING



**KEA SCREW-IN BUSHING,
ROUND PLATE
w/ SPRING-LOADED INTERNAL THREAD**

Material:	Zamak, Plain	
Size:	Ø60 mm	
Threaded hole:	M8 & M10	
Holes:	c/c 32 mm	
Item No.:	M8	# 11.07.005
	M10	# 11.07.006


Flush mounting for extra strength



SEWING MACHINE TABLE HINGE

Material: Brass or Stainless Steel (SS)
Screw Holes: Ø4.0 mm

Sizes	Finish	Item. No
30 x 72 x 2.0 mm	Brass Sanded	# 15.11.350
30 x 72 x 2.0 mm	SS-look	# 15.11.355
30 x 72 x 2.0 mm	Bronzed	# 15.11.370
30 x 72 x 2.0 mm	SS Polished	# 15.11.390
30 x 72 x 2.0 mm	SS Brushed	# 15.11.391
30 x 80 x 2.0 mm	Brass Sanded	# 15.11.310





BRASS CYLINDER HINGE w/ SS PIN & SCREWS

Material: Body and Linkage: Brass
Pin and Screws: Stainless Steel (SS)
Finish: Brass Natural

Sizes	Item No	A*	B*
Ø10 mm	# 15.07.345	11,0 mm	2,0 mm
Ø12 mm	# 15.07.346	13,5 mm	2,2 mm
Ø14 mm	# 15.07.347	15,5 mm	3,0 mm
Ø16 mm	# 15.07.348	16,5 mm	3,0 mm
Ø18 mm	# 15.07.349	17,5 mm	3,0 mm
Ø24 mm	# 15.07.350	25,0 mm	4,5 mm

* See illustration A and B for measurement




PIANO HINGE



Material: Steel
Screw hole: Ø4 mm - c/c 60 mm

Size	Finish	Item No.
32 x 0,7 x 1830 mm	Brass Plated Lacquered	# 15.12.076
32 x 0,7 x 1830 mm	Nickel Plated	# 15.12.075







HINGES

VICI HINGE - ZAMAK w/ STEEL LINKAGE - 180°

Material Body: Zamak
 Linkage: Steel
 Finish: Yellow Zinc Plated (YZP)
 Size: 44 x 12,5 mm
 Screw Hole: Ø4 mm - c/c 32 mm
 Item No.: # 15.07.115

Other sizes and finishes on request






VICI HINGE - ZAMAK w/ SS LINKAGE - 180°

Material Body: Zamak
 Linkage: Stainless Steel (SS)
 Finish: Body: Stainless Steel look- Brushed
 Linkage: Plain

Incl. 4 CSK chip board screws

A	B*	C*	D*	E*	F	G	H*	I	J	K	Item No.
45 mm	13 mm	20,5 mm	31,6 mm	8 mm	6,7 mm	18,8 mm	12 mm	5 mm	6,6 mm	4 mm	15.07.120
60 mm	13 mm	21,5 mm	47,2 mm	9 mm	6,5 mm	32 mm	12 mm	6 mm	7,7 mm	5 mm	15.07.121
70 mm	16 mm	26,5 mm	54 mm	10,5 mm	8 mm	34 mm	15,5 mm	7 mm	8 mm	5 mm	15.07.122
95 mm	19 mm	32 mm	75 mm	13 mm	10 mm	52 mm	17 mm	10 mm	10 mm	6 mm	15.07.123

* tolerance ± 0,3



HINGES

- high quality furniture fittings



ELU TABLE HINGE 180°



Material: Steel, Yellow Zinc Plated (YZP)
 Over all Size: 85 mm x 46 mm






Panel Size X	Item No.	Panel Size X	Item No.
16 mm	# 15.80.110	18 mm	# 15.80.120
22 mm	# 15.80.140	25 mm	# 15.80.155
30 mm	# 15.80.170		

Spacer For Panel Thickness Reduction = SFPTR*

SFPTR*	Item No.	SFPTR*	Item No.
1 mm	# 15.80.000	2 mm	# 15.80.001

The Spacer gives you the possibility to operate with only one hinge size even though you use different panel thicknesses in your production.

Example given: Take a Hinge for 18 mm panel thicknesses and add a 2 mm spacer. Now you can use the hinge for 16 mm panel thickness.



SEPA HINGE 180°

Material: Zamak
 Panel thickness: Min. 26 mm
 Size: 52 x 18 x 2 mm
 Item No. # 15.04.076








Table leaves

HINGES

TABLE FLAP HINGE - f/ 22 mm PANEL - 180°

Material: Nylon
 Body: Nylon
 Linkage: Zamak

Bore Size: Ø35 mm and Ø25 mm
 Hole Depth: 19 mm

Finish

Body:	Linkage:	Item No.
Beige	Yellow Zinc	# 15.80.200
Black	Black Zinc	# 15.80.201





TABLE FLAP HINGE "ZAMAK"

Material: Body: Zamak, Yellow Zinc Plated
 Linkage: Steel, Yellow Zinc Plated

Over all size: 108 x 40 x 3 mm


Panel size: 20 mm # 15.80.175
 Panel size: 27 mm # 15.80.180

Spacer For Panel Thickness Reduction
 1 mm Steel, Yellow Zinc Plated # 15.80.185




LIFT OFF HINGE - w/ STOP FOR TABLE LEAVES

Material: Steel, 3 mm
 Finish: Yellow Zinc Plated
 Screw hole: Ø4,5 mm
 Angle: 90 Degree
 Item No.: # 24.09.040




FLUSH LEAF TABLE HINGE




Material: Steel, 2,5 mm
 Finish: Yellow Zinc Plated (YZP)
 Screw hole: \varnothing 5 mm

A	B	C	D	Item No.
100 mm	22 mm	44 mm	25-28 mm	# 24.09.080
100 mm	25 mm	50 mm	29-32 mm	# 24.09.090
110 mm	30 mm	60 mm	33-36 mm	# 24.09.100
110 mm	35 mm	70 mm	37-40 mm	# 24.09.110




E	F	G	Item No.
19 mm	25 mm	0,5 x D - 5 mm	# 24.09.080
21 mm	25 mm	0,5 x D - 5 mm	# 24.09.090
23 mm	30 mm	0,5 x D - 5 mm	# 24.09.100
25 mm	30 mm	0,5 x D - 5 mm	# 24.09.110



TABEL CATCH "MINI"

Material: Steel, Yellow Zinc Plated
 Overall size: 54 x 40 x 1mm
 Screw hole: \varnothing 4


Item No: # 24.03.041




CIRCULAR TABLE CATCH, 2003

Material: Steel, 1,6 mm
 Screw hole: \varnothing 3,9mm
 Diameter: \varnothing 47 mm
 Item No.: Brass Polished

24.03.025



LINKIT - THE DESK TOP CONNECTOR



Material: Zamak
 Finish: Anthracite (Dark Grey)
 Size: 75 x 120 mm - c/c 32 & 64 mm
 Screw hole: Ø4,5 mm with 6 mm horizontal adjustment
 Item No: # 24.03.090

Design registered in:
 USA, UK, Germany, Australia and New Zealand

Fixation:

Screw-in Bushing D-613 Item No.: # 12.10.191

Raised Dome Head Screw - PZD Item No.: # 12.06.830

CIRCULAR TABLE SPANNER

Material: Zamak, 1,5 mm
 Screw hole: Ø4 mm
 Diameter: Ø60 mm
 Item No.: Brass Plated # 24.03.070
 Item No.: Nickel Plated # 24.03.071




TABLE SPANNER "TURTLE"

Ideal for connecting wooden tops or panels by simply turning the lids clockwise.

Material: PA6 – GF



Size: Ø62 x 18 mm.

Screw holes: Ø4mm, counter sunk

Item No.: Male + Female # 24.03.075



DESIGN REGISTERED IN EU




LOCATING PIN "SMAG"

Application:

Locating pin with integrated hold function. Ideal for connecting table tops, without using a classic table catch.

Material: Steel & plastic
 Size: Ø8 x 36,30 mm
 Finish: Yellow zinc plated & black

Item No. Female # 11.06.865
 Male # 11.06.866



LOCATING PINS

Material: Zamak
 Size: Ø8 x 21 mm
 Finish: Yellow Zinc 2-3 Micron
 Item No.: Male & Female # 11.06.870

Material: Brass
 Size: Ø8 x 21,5 mm
 Finish: Natural
 Item No.: Male # 11.06.855
 Female # 11.06.856

Material: Steel
 Size: Ø8 x 22 mm
 Finish: Yellow Zinc 12 Micron or Bright Zinc 3 Micron
 Item No.: Male - BZP # 11.06.846
 Female - BZP # 11.06.845
 Male - YZP # 11.06.850
 Female - YZP # 11.06.849

Material: Steel
 Size: Ø8 x 22 mm
 Finish: Yellow Zinc 12 Micron
 Item No.: Male & Female # 11.06.851

Material: Nylon
 Size: Ø8 x 26 mm
 Finish: Brown
 Item No.: Male # 11.06.890
 Female # 11.06.891


Material: Brass
 Size: Ø10 x 25 mm
 Finish: Natural
 Item No.: Male # 11.06.857
 Female # 11.06.858

Material: Steel
 Size: Ø10 x 26,2 mm
 Finish: Yellow Zinc 2-3 Micron
 Item No.: Male & Female # 11.06.854




Click Catch Innovative patented solution for connecting table and additional table leaves!

The connector consists of a male and female part – a revolving fork and a U-bracket.



Normally two sets of **CLICK CATCH** are mounted under separate table tops to connect a pair of tables by wedging the forks into the U-brackets. When not in use the forks are easily swivelled back under the table top, where they remain invisible and of no obstruction to knees!

We supply a template for the correct location of fastening screws, but otherwise the positioning of the hardware is determined by the furniture manufacturer.



The hardware is manufactured from 3 mm har steel plate, bright zinc or yellow zinc plated. You can furthermore choose between 2 different lengths.

The standard model which is 153 mm long and a longer and even stronger model "XL" which is 201 mm.

The "XL"-model is especially popular for tables with chamfered plates.

We are also prepared to supply extra female parts of the **CLICK CATCH** in case clients want to offer their desks with more than one attachment position.

Originally the **CLICK CATCH** was created for connecting tables, but also modular chairs can be joined into sofas - and single beds into double beds - simply by applying the **CLICK CATCH** !

CLICK CATCH

Material: 3mm Steel plate
Finish: Bright Zinc or Yellow Zinc Plated

CLICK CATCH standard version

Bright Zinc Plated: # 24.03.140
Yellow Zinc Plated: # 24.03.141




Female part only


Bright Zinc Plated: # 24.03.130
Yellow Zinc Plated: # 24.03.131

Patents:
US 5,947,628
DK 171823
UK 2314881
DE 19681404
EP patent pending

CLICK CATCH STANDARD

- high quality furniture fittings





CLICK CATCH »XL«
Ideal for Tables with chamfered Plates

Material: 3 mm steel plate
Finish: Bright Zinc or Yellow Zinc Plated

CLICK CATCH »XL« - version

Bright Zinc Plated: # 24.03.145
Yellow Zinc Plated: # 24.03.146

Female part only

Bright Zinc Plated: # 24.03.130
Yellow Zinc Plated: # 24.03.131




Patents: US 5,947,628 DK 171823
UK 2314881 DE 19681404
EP patent pending

Design: Jesper Møller Hansen


CLICK CATCH »XL«

- high quality furniture fittings


SISO DENMARK



CLICK CATCH IN ACTION





Click Catch is ideal in conjunction with our SNAP folding legs



CLICK CATCH 90 DEGREE

- high quality furniture fittings



SISO DENMARK



CLICK CATCH 90 DEGREE
 Material: 3 mm Steel plate
 Finish: Bright zinc plated
 Item No.: 24.03.147



PATENTS
 US 5,947,628
 DK 171823
 UK 2314881
 DE 19681404
 EP PATENT PENDING



SURF

BREAKING THE TRADITIONS



SURF

the new patented solution for connecting tables





The **SURF** table connector is the latest development of our table connector **CLICK CATCH**.

With the **SURF** we combine design with improved functionality. Not only does the **SURF** connect and hold the table leaves like the **CLICK CATCH** - it also pulls the table leaves together.

The **SURF** is mounted under the table top to connect tables by sliding the ellipse into the female part. When connected, you lock and tighten the **SURF** by closing the black plastic locking cap.


When not in use the ellipse is easily swivelled back under the table top, where it remains invisible and of no obstruction to knees! The female part, when not in use, works like a spacer for safe stacking of additional table leaves.

Danish design by SISO & Jesper Møller Hansen



1 set consists of a male and a female part made of zamak. Fixation by means of 4 wood screws, a zamak screw-in bushing and a fifteen screw.

1 Male + 1 female - Alu finish	# 24.03.100
Female part only - Alu finish	# 24.03.102
Wood screw Ø4 x 16 mm, BZP	# 15.04.400
Fifteen screw M6 x 25 mm, black	# 12.00.903
Screw-in bushing E-620, zamak M6 x 20 mm, YZP	# 12.10.223









SURF - THE TABLE CONNECTOR

- high quality furniture fittings




PATENTED



SURF PA6 – THE TABLE CONNECTOR

The SURF PA6 table connector is the second generation of our table connector SURF. As the name indicates it is produced in polyamid material whereas the original SURF is made of zamak. The function is the same but due to the choice of material the price is more affordable. It is however only available in black color.




1 set consists of a male & female part made of PA6 material.
 Fixation by means of 4 wood screws, a zamak screw-in bushing and a fifteen screw.

1 Male + 1 female – black	# 24.03.107
Pan headed wood screw $\phi 4 \times 20$ mm, black	# 11.08.298
Fifteen screw M6 x 25 mm, black	# 12.00.903
Screw-in bushing E-620, zamak M6 x 20 mm, YZP	# 12.10.223

CATCH # 22

- high quality furniture fittings

SISO DENMARK



Catch #22 is a patented version of the traditional table catch. This new model holds itself flat underneath the table top and spare leaves in both the locked and unlocked position.

Flat to base, even when unlocked - see picture A - D.

The old version always hung loose underneath the table and from spare leaves when not in use. This could easily cause damage to surfaces and edges, particularly on tables fitted with folding »butterfly« extension leaves and even to peoples' legs and clothing.

Catch #22

Material:

Stainless Steel, Polished	# 24.03.000
Steel, Bronzed Plated	# 24.03.001
Steel, Yellow Zinc Plated	# 24.03.002
Steel, Bright Zinc Plated	# 24.03.003
Steel, Black E-coated	# 24.02.999

Fixation:

Wood Screws: Ø4 mm x 16 mm, Pan Head

Standard packing: 600 Pcs. per carton.

Besides the standard version we also offer the Catch #22 with a 60 mm long hasp for tables with chamfered edges.

Material

Steel, Yellow Zinc Plated	# 24.03.005
---------------------------	-------------

Patent:

UK Pat No. 2309252
United States Patent 6,041,721
EP Pat. No. 0786217B1

A



B




C



D





LAZY SUSAN ALUMINIUM TURNTABLE

Material: Ring: 1st grade aluminium, Die Cast
 Balls: High grade stainless steel (grade 200)

Application: 360 Degree easy swivelling, apply to any kind of dining table, TV-stand, computer tables etc.
 Also perfect for outdoor use when using stainless steel ball bearings.

Sizes		Item. No.:	Load Capacity	Top		Bottom	
Outer diameter	Inner diameter			Out	In	Out	In
Ø304 x 12mm	Ø247mm	# 16.15.371	50-70 kg	White rubber Ø10 x 3,3 mm	Ø5,5 mm CSK Holes	Ø5,5 mm CSK Holes	White rubber Ø10 x 3,3 mm
Ø401 x 12mm	Ø338mm	# 16.15.382	80-100 kg	6	4	4	6
Ø600 x 12mm	Ø528mm	# 16.15.395	170-190 kg	6	4	4	6
				8	4	4	8



PATENTED

TWISTER - LEG CONNECTOR

The "Twister" leg connector is designed for installing a leg in any position from 0 – 20 degrees – one way, simply by twisting the leg tightly onto the connector plate.

May be used on tables, cabinets, beds, sofas ect. wherever a leg is needed.

"Twister" gives the possibility to change the design on the furniture whenever there is a demand. Furthermore it may be used as a height adjuster/leveller in case of uneven floors.

Adjustable up to 40mm when changing the angle from 0 – 20 degrees. "Twister" is designed for maximum leg diameter of 50mm and M8 bolt.


The round sliding plate and body are made of black reinforced ABS.

The internal part is made of steel.

Danish design by SISO & Jesper Møller Hansen.

Pat. Pending in EU & US.

Wood top mounting



(Leg: customer provided)

**Glass top mounting
w/aluminium disc & UV-glue**



(Leg: customer provided)



TWISTER - THE LEG CONNECTOR

WOOD TOP MOUNTING

Material: Reinforced ABS & steel
 Total size: Ø 106,5 x 27 mm
 Screw holes: Ø 5,5 mm
 Item No.: 06.11.100
 Packing: 1 pce pr. inner box
 Screws and hangerbolt to be bought separately.




GLASS TOP MOUNTING W/ALUMINIUM DISC & UV-GLUE

For glass top mounting by use of Twister connector combined with an aluminum disc.

Material: Aluminium
 Size: Ø 108 x 10 mm, For screws M5 x 8mm
 Item No.: # 06.11.121
 Fixing screws and Twister connector to be ordered separately.

The aluminium disc is glued to the glass by use of Bohle UV-Glue B 682-0. UV-lamp is needed.



SNAP FOLDING LEGS

- high quality furniture fittings



SPECIFICATION

Tube legs:	Seamless, Steel Ø32 x 2 mm. Designed for standard table width of 800 mm. Other widths may be produced to order. Offers a table height of 720 mm including a 30 mm table top panel. Smallest table length is 1000 mm.	
Models:	w/Straight Tube, Chrome Plated 645 mm outer width x 690 mm height	No longer available
	w/Bent Tube, Chrome Plated 645 mm outer width x 690 mm height	# 06.11.005
On request:	Epoxy lacquered in any RAL colour. Minimum quantity 125 sets Self colour, disassembled and bulk packed. Minimum quantity 125 sets	
Mounting plate:	Polished Stainless Steel 3,0 mm, coated with Black Abcide for silent closing and opening.	
Fixation:	Screw in bushing. E-613, Zamak, YZP, M6 x 13 mm # 12.10.222 Dome head screw DIN 7985, BZP, M6 x 14 mm # 12.06.830	Should be ordered separately. This is very important, for the function and stability of the legs.
Packing:	Individually packed in cartons containing 1 complete set Snap folding legs for one table	



NB! Press spring button before folding the legs

Springloaded lock prevents accidental collapse of table legs.

TABLE METAL LEGS W/HEIGHT ADJUSTER

TABLE METAL LEGS Ø 60 X 710 MM W/HEIGHT ADJUSTER

Material:	Tube:	0,8 mm steel.
	Mounting plate:	Aluminium diecast.
	Adjustment foot:	Black plastic.
Size:		Ø60 x 710 mm.
Height adjustment:		0-25 mm.
Black painted		# 06.10.020
Chrome plated		# 06.10.022
Silver RAL 9006		# 06.10.023
SS-look (brushed nickel)		# 06.10.024
Packing:		1 set = 4 legs per box.
Other colors and sizes on request.		



710 mm



25 mm




HIDE AWAY MECHANISM

- high quality furniture fittings

SISO DENMARK

HIDE AWAY MECHANISM f/ FOLDED TABLE TOPS




Hide Away Mechanism in action

- Suitable for table flap widths from 400 to 700 mm.


Material: Steel
 Size: Bar: Ø8 x 800 mm
 Frame: 160 x 255 mm
 Clips: 20 x 75 mm
 Screw holes: Ø4,5 mm
 Finish: Chrome Plated

The Mechanism incl. 2 Brackets
 Material: Steel
 Size: 14 x 55 x 109 mm
 Screw holes: Ø 4,5 mm
 Finish: Chrome Plated

Item No.: # 24.08.016



*Hide Away Mechanism for Folded Table Tops
seen from bottom with other accessories mounted*



SUPPORT BRACKET – f/ TABLE FLAPS

Material: Steel
 Size: Body: 46 x 30 mm
 Pin: Ø8 x 47 mm
 Screw holes: Ø5,5 mm
 Finish: Yellow Zinc # 24.03.160






TABLE CLIPS & NUTS


TABLE CLIP

Material:	Steel 1 mm	Screw holes: Ø4 mm
Finish:		Bright Zinc Plated
Size:	21 x 38 x 28 mm	# 24.09.010
	30 x 27 x 27 mm	# 24.09.020



HEXAGONAL NUT DIN 934


Material:	Steel
Finish:	Yellow Zinc or Bright Zinc
Size:	Item No.:
M6	# 12.11.905/906
M8	# 12.12.015/16
M10	# 12.12.026/27



M6 to M10

HEXAGONAL NUT WITH NYLON RING DIN 985


Material:	Steel and nylon
Finish:	Yellow Zinc or Bright Zinc
Size:	Item No.:
M6	# 12.12.421
M8	# 12.12.440
M10	# 12.12.445



M6 to M10

WING NUT

Material:	Steel
Finish:	Yellow Zinc or Bright Zinc
Size:	Item No.:
M6	# 12.12.050/51
M8	# 12.12.055/58
M10	# 12.12.060/61



M6 to M10

LOCKING PIN »CEPACOMO« SPRINGLOADED

Material:	Steel
Size:	Body: 20 x 61 mm Pin: \varnothing 8 x 11 mm
Screw holes:	\varnothing 4,5 mm
Finish: Yellow Zinc	# 04.05.150





TABLE HOOK »DE LUXE«

Material:	Zamak
Total Size:	23,5 x 53,5 mm
Hook opening:	7 mm
Screw hole:	\varnothing 4 mm
Finish: Nickel Plated	# 24.03.085
Yellow Zinc	# 24.03.086







TABLE HOOK »# 7864«

Material:	Steel 1,60 mm
Total Size:	18 x 51,5 mm
Screw hole:	\varnothing 3,5 mm
Finish: Yellow Zinc	# 24.03.080




HANGERBOLTS & TOOL FOR INSERTING

HANGERBOLTS

Material: Steel
Finish: Yellow Zinc or Bright Zinc

Size	Item No.:	Size	Item No.:
M4 x 25 mm	# 12.13.000	M8 x 100 mm	# 12.13.037/38
M4 x 50 mm	# 12.13.001	M10 x 50 mm	# 12.13.150
M6 x 50 mm	# 12.13.006/08	M10 x 60 mm	# 12.13.160/61
M6 x 60 mm	# 12.13.016/17	M10 x 70 mm	# 12.13.170
M8 x 50 mm	# 12.13.022/23	M10 x 80 mm	# 12.13.180
M8 x 60 mm	# 12.13.027	M10 x 90 mm	# 12.13.190
M8 x 70 mm	# 12.13.031/32	M10 x 100 mm	# 12.13.200
M8 x 80 mm	# 12.13.035	M10 x 120 mm	# 12,13.205


Other sizes on request








M4 to M10

TOOL FOR INSERTING HANGERBOLTS

Size	Item No.:
M6	# 12.13.100
M8	# 12.13.105
M10	# 12.13.115




M6 to M10




PLASTIC TACK, NAIL-ON GLIDE

Material: Base: Polyethylene, (PE), brown or white.
Nail: Steel, zinc plated.

Application: Nail-on glide with Ø2 x 15 mm nail.



Item - number	Finish	D diameter	H height
#10.25.018	White	Ø13 mm	6 mm
#10.25.020	White	Ø15 mm	6 mm
#10.25.021	Brown	Ø15,5 mm	6 mm
#10.25.030	White	Ø18 mm	6 mm
#10.25.031	Brown	Ø18 mm	6 mm
#10.25.050	White	Ø22 mm	6 mm
#10.25.058	Brown	Ø28 mm	6 mm




PLASTIC TACK W/FELT, NAIL-ON GLIDE

Material: Base: Polyethylene, (PE), brown or white.
Nail: Steel, zinc plated.
Felt: Grey.

Application: Nail-on glide with Ø1,6 x 13 mm nail.




Item - number	Finish	D diameter	H height	Felt - thickness
# 10.25.078	White	Ø15	8 mm	4 mm
# 10.25.079	Brown	Ø15	8 mm	4 mm
# 10.25.082	White	Ø18	8 mm	4 mm
# 10.25.083	Brown	Ø18	8 mm	4 mm
# 10.25.086	White	Ø22	8 mm	4 mm
# 10.25.087	Brown	Ø22	8 mm	4 mm
# 10.25.090	White	Ø28	8 mm	4 mm
# 10.25.091	Brown	Ø28	8 mm	4 mm



PLASTIC TACK W/FELT, SCREW-ON GLIDE

Material: Base: Polystyrol, (PS), white.
Stud: Steel, zinc plated.
Felt: Grey.

Application: Screw-on glide with Ø3,5 x 20 mm pozidriv screw.




Item - number	Finish	D diameter	H height	Felt - thickness
# 10.25.100	White	Ø20	8 mm	4 mm
# 10.25.105	White	Ø24	8 mm	4 mm
# 10.25.110	White	Ø28	8 mm	4 mm
# 10.25.115	White	Ø40	8 mm	4 mm

STEEL TACK, NAIL-ON GLIDE

Material: Base: Steel, nickel plated.
Nail: Steel, zinc plated.

Application: Nail-on glide with nail.



Item - number	Finish	D diameter	H height	N _{nail} diameter	n _{nail} length
# 10.22.020	NPL	Ø13	3 mm	Ø1,4 mm	12 mm
# 10.22.040	NPL	Ø15	3 mm	Ø1,4 mm	14 mm
# 10.22.050	NPL	Ø16	3,2 mm	Ø1,75 mm	14 mm
# 10.22.060	NPL	Ø18	4 mm	Ø1,75 mm	16 mm
# 10.22.070	NPL	Ø20	4 mm	Ø2 mm	18 mm
# 10.22.080	NPL	Ø23	4 mm	Ø2 mm	19 mm
# 10.22.090	NPL	Ø25	4 mm	Ø2 mm	19 mm
# 10.22.100	NPL	Ø28	5 mm	Ø2 mm	20 mm
# 10.22.110	NPL	Ø30	5 mm	Ø2 mm	20 mm
# 10.22.120	NPL	Ø35	5 mm	Ø2,5 mm	27 mm


ADJUSTABLE GLIDE “ALPHA”

Material: Base: Polyamid (PA), black.
Stud: Steel, bright zinc plated.

Application: W/Knurled edge on base.



Item - number	Finish	D diameter	H height	M size	S stud
10.16.006	Black	Ø15	6 mm	M6	22 mm
10.16.011	Black	Ø20	6 mm	M6	22 mm
10.16.016	Black	Ø20	6 mm	M6	40 mm
10.16.025	Black	Ø25	6 mm	M6	22 mm
10.16.027	Black	Ø25	6 mm	M8	22 mm
10.16.035	Black	Ø32	8 mm	M8	22 mm
10.16.040	Black	Ø38	9 mm	M8	26 mm
10.16.046	Black	Ø44	10 mm	M8	26 mm
10.16.120	Black	Ø60	10 mm	M10	34 mm




ADJUSTABLE GLIDE “MAU”

Material: Base: Polypropylene (PP), black.
Shell: Steel, zinc plated.
Stud: Steel, bright zinc plated.

Application: W/Knurled edge on base.




Item - number	Finish	D diameter	H height	M size	S stud
#10.16.210	Black/ZP	Ø20	7 mm	M6	20 mm
#10.16.214	Black/ZP	Ø28	8 mm	M8	22 mm
#10.16.215	Black/ZP	Ø28	8 mm	M8	38 mm
#10.16.230	Black/ZP	Ø32	9 mm	M10	25 mm



ADJUSTABLE GLIDE "TIME"

Material: Base: Polypropylene (PP), black.
Stud: Steel, bright zinc plated.

Application: W/Hex nut for easy height adjustment and M4 hex hole in top of the stud for quick fixing.
Swivel stud for smooth leveling.




Item - number	Finish	D diameter	H height	M size	S stud
# 10.13.510	Black	Ø50	14 mm	M10	34 mm
# 10.13.520	Black	Ø50	14 mm	M10	98 mm

ADJUSTABLE GLIDE "NORFOLK"

Material: Base: Steel, nickel plated or SS-304.
Stud: Steel, bright zinc plated.
Cushion: Black rubber.

Application: W/Rubber silencer cushion for quiet working environment.



Item - number	Finish	D diameter	H height	M size	S stud
#10.21.290	Black/NPL	Ø23	10 mm	M8	25 mm
#10.21.321	Black/SS-304	Ø30	12 mm	M8	25 mm



ADJUSTABLE GLIDE "BETA"

Material: Base: Polyamid (PA), black.
Stud: Steel, bright zinc plated.

Application: W/Slot in bottom of base for quick fixing.




Item - number	Finish	D diameter	H height	M size	S stud
#10.17.047	Black	Ø20	7 mm	M6	6 mm
#10.17.053	Black	Ø20	7 mm	M6	22 mm



KNOCK IN BUSHING »DR«

Material: Steel, Yellow Zinc Plated (YZP) or Bright Zinc Plated (BZP)
Type: Knock in. With collar

A	B	C	H = Head	YZP	BZP
M6	14 mm	Ø8,3 mm	Ø14 x 1,5 mm	# 12.10.710	# 12.10.711
M8	16 mm	Ø10,5 mm	Ø19 x 2,5 mm	# 12.10.721	# 12.10.720
M10	17 mm	Ø12,5 mm	Ø22 x 2,5 mm	# 12.10.730	# 12.10.731



KNOCK IN BUSHING »BI«

Material: Zamak, Yellow Zinc Plated (YZP)
Type: Knock in. With countersunk collar

A	B	C	H = Head	Finish	Item No.
M8	20 mm	Ø10 mm	Ø19 x 3 mm	YZP	# 12.10.000



- high quality furniture fittings

SISO A/S

Mileparken 11 Phone: (+45) 45 830 900
DK - 2740 Skovlunde (Copenhagen) Fax: (+45) 45 830 444
Denmark E-mail: siso@siso.dk Web: www.siso.dk